

L Number	Hits	Search Text	DB	Time stamp
1	40	(multifunction multi-function multi-purpose multipurpose "multiple function" "multiple purpose" shared common "same") near pin same "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 13:16
15	461	"memory module" and "normal mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 11:50
22	44	"memory module" same "normal mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:49
29	2	("5097154").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:49
36	10	((("6532526") or ("6148398") or ("6055600") or ("5995405") or ("5497498"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 13:16
-	1421	(365/63).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 12:39
-	237	(spd (serial near presence near detect)) same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 14:54
-	3066	spd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 12:39
-	49	spd and smbus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 09:39
-	47	(spd and smbus) and mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 13:24
-	0	(spd and smbus) and "normal mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 13:32
-	12	((("4291221") or ("4494015") or ("20020076872") or ("5557571") or ("6549480") or ("5426616"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:27
-	0	(normal read write access) near3 mode same module same (test setup configure configuration) near3 mode same ("same" shared) near3 (connection pin interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:32
-	72	"normal mode" same "test mode" same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:38

-	8	("normal mode" same "test mode" same module) same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:35
-	328	(multifunction "multi-function" multimode "multi-mode") same pin same (input output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:52
-	88	"normal mode" same mode near3 (test setup configure configuration) same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:44
-	8	("normal mode" same mode near3 (test setup configure configuration) same module) same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:44
-	29	((multifunction "multi-function" multimode "multi-mode") same pin same (input output)) same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 14:52
-	344	(multifunction multiple multipurpose "multi-purpose" "multi-function" multimode "multi-mode") near3 pin same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 14:07
-	1333	module same pin same mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 11:14
-	188	(module same pin same mode) same (configure configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 11:14
-	38	((module same pin same mode) same (configure configuration)) same normal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 11:21
-	604	("non-volatile" nonvolatile EEPROM PROM EPROM) same module same (configure configuration test testing) near3 (information parameter data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 11:24
-	20	((("non-volatile" nonvolatile EEPROM PROM EPROM) same module same (configure configuration test testing) near3 (information parameter data)) same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 13:39
-	649	pin near3 (multiplex multiplexing multiplexed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 13:48
-	48	(pin near3 (multiplex multiplexing multiplexed)) and "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 14:19
-	3070	spd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 14:19

-	113	spd same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 14:20
-	16	(spd same pin) same module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 07:57
-	4	bist same address same pin same "test mode" same "normal mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 08:03
-	2	(configure configuration) near mode same (common "same") near pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 08:11
-	142	(multifunction multi-function multi-purpose multipurpose "multiple function" "multiple purpose") near pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 11:20
-	20	((multifunction multi-function multi-purpose multipurpose "multiple function" "multiple purpose") near pin) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 11:14
-	7	"spd mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 11:15
-	0	(multifunction multi-function multi-purpose multipurpose "multiple function" "multiple purpose") near pin same "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 13:37
-	38	(common "same")near pin same "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 13:20
-	0	module same spd same ("same" common) near pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 11:41
-	2	(shared) near pin same "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 13:26
-	4	(shared "same" common) near pin and "memory module" and spd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 13:34
-	6	(shared "same" common) near (line) and "memory module" and spd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 13:35
-	212	(multifunction multi-function multi-purpose multipurpose "multiple function" "multiple purpose" shared common "same") near pin and "memory module"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 11:05